

SFC104 115MM NOLEADS 8/CS 8/SKU



Product features and benefits

- Ceramic housings designed specifically for high temperature applications
- High quality contact materials for optimal mechanical and electrical properties
- UL recognized and CE certified

Areas of application

- Specialty Lampholders and Sockets
- Metal Halide Fixtures
- Halogen Instrumentation
- Halogen Equipment

Technical data

General Product Information

Product number (Americas)	69004
Product name (Americas)	SFC104 115MM NOLEADS 8/CS 8/SKU
Underwriters laboratories file no.	E31557
CSA file no.	LR20904
Global order reference	SFC104 115MM NO

Electrical Data

Maximum wattage	1500 W
Voltage - pulse rated	25 kV
Maximum voltage	1000 V

Physical Attributes & Dimensions

Length (mm)	148.6 mm
Body material	Ceramic Stealite and Nickel Plated Steel
Contact material	Nickel Plated Nickel
Lamp base reference	SFc10-4 with Pre-focus
Width (mm)	17.5 mm
Width (in)	2.95 in
Height (in)	1.71 in
Height (mm)	43.3 mm
Wire gauge (AWG)	18-12 Comp AWG
Product weight	89.00 g

Operating Conditions

Maximum operating temperature (°C)	250 C
------------------------------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899508866
Rohs compliant	Yes
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

Packaging Information

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69004	4052899508866	SHIPPING BOX	8	13.8 in x 10.6 in x 2.0 in	2.0 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.