

## SIRIUS HRI 330 W XL

SIRIUS HRI



### Areas of application

- Concert Lighting
- Club & Disco
- Stage & Theatre
- Studio, TV, & Film
- Architecture & Architainment

### Product features and benefits

- Lightweight and compact reflector lamps with optimized ECG
- High luminance through very short arc and high pressure
- Optimized burner design allows any burning position
- Stable light output over the entire lifetime
- Stable light output over the entire lifetime
- Easy lamp replacement
- Easy lamp replacement



# Product datasheet

## Technical data

### General Product Information

Product number (Americas)	54714
Product name (Americas)	SIRIUS HRI 330W XL 2/CS 1/SKU
Family brand	SIRIUS HRI
Category	CORE
Global order reference	SIRIUS HRI 330 W XL


### Electrical Data

Nominal wattage	330 W
Nominal voltage	65 V
Nominal current	5 A

### Photometric Data

Nominal luminous flux	16500 lm
Color temperature	7250 K
Color rendering index Ra	71
Working distance	36 mm

### Physical Attributes & Dimensions



Electrode gap (cold)	1.0 mm
Lamp base	-
Diameter	56.0 mm
Diameter (in)	0.512 in
Diameter	56.0 mm
Length	63.0 mm
Product weight	75.00 g

## Product datasheet

### Operating Conditions

Burning position	Any
------------------	-----

### Lifetime Data

Nominal lifetime	1500 hr
------------------	---------

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899195431
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

## Product datasheet

---

### Safety advice

Because of their high luminance, UV radiation and high internal pressure during operation, SIRIUS HRI lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899195431	SIRIUS HRI 330 W XL	Folding carton box 1	87 mm x 87 mm x 103 mm	0.78 dm <sup>3</sup>	123.00 g
4052899195448	SIRIUS HRI 330 W XL	Shipping carton box 2	186 mm x 96 mm x 115 mm	2.05 dm <sup>3</sup>	292.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

---