

64644 HLX 95W 17V

Halogen (< 75 V) Single End

Areas of application

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Surgical & Dental Overhead

Product features and benefits

- Precise filament alignment with patented quartz pinch technology
- HLX lamps provide 10% higher luminous flux with same power consumption over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Technical data

General Product Information

Product number (Americas)	55997
Product name (Americas)	64644 HLX 95W 17V 40/CS 1/SKU
ANSI code	-
LIF code	-
Global order reference	64644 HLX 95W 1

Electrical Data

Nominal wattage	95 W
Nominal voltage	17 V

Physical Attributes & Dimensions

Lamp base	G6.35
Diameter	11.5 mm
Length	50.0 mm
Product weight	2.55 g

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899995239
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.