

SIRIUS HRI 440 W S

SIRIUS HRI brand | High-pressure discharge lamps with reflector



Areas of application

- Concert lighting
- Club and disco
- Stage and theatre
- Studio, TV and film
- Architecture & Architainment

Product family benefits

- Lightweight and compact reflector lamps
- Perfectly suited for small and lightweight moving heads
- Optimized burner design allows any burning position
- High luminance through very short arc and high pressure
- Bright light for brilliant light effects
- Long lifetime
- Easy lamp replacement
- Stable light output over the entire lifetime





Product datasheet

Technical data


Electrical data


| Nominal wattage | 440.00 W |
|-----------------|----------|
| Nominal current | 4.4 A |
| Nominal voltage | 75.0 V |

Photometrical data

| Nominal luminous flux | 22800 lm |
|--------------------------|----------|
| Color temperature | 7000 K |
| Color rendering index Ra | 80 |

Dimensions & weight





| Diameter | 11.8 mm |
|------------|---------|
| Length | 71.0 mm |
| Arc length | 1.3 mm |

Lifespan

| Lifespan | 1500 h |
|----------|--------|
| | |

Capabilities

Certificates & standards

| EEI – Energy Label A | |
|----------------------|--|
|----------------------|--|

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Product datasheet

| Date of Declaration | 07-04-2022 |
|----------------------------------|------------------------------------|
| Primary Article Identifier | 4052899276543 4052899329140 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |